

22mm High Current Metal Pushbutton Switches



TORQUE: 1~3Nm.

HEX NUT : Nickel plated brass.



MODEL NO.	BODY TYPE	BUTTON TYPE	OPERATING TYPE	LIGHT TYPE	LED COLOR	LED VOLTAGE	MICRO SWITCH	RATING	CONNECT FORMS	TERMINAL TYPE
-----------	-----------	-------------	----------------	------------	-----------	-------------	--------------	--------	---------------	---------------

MW22

Terminal type
A #250
 Quick-connect
 terminal (t=0.8mm)
B #187
 Quick-connect
 terminal(t=0.8mm)

LED color — LED voltage

MW22 Series



22mm High Current Metal Pushbutton Switches

BODY TYPE

A0/C3

PANEL MOUNTING

Max.Panel thickness: 10.0mm[.39]






LIGHT TYPE

0 Without LED

E Ring Moveable


L Ring+Power logo



TERMINAL TYPE


#187 Only 16A

Quick-connect
terminal(t=0.8mm[.03])




#250 Only 26A


Quick-connect
terminal(t=0.8mm[.03])




CIRCUIT




Non-LED



SPDT







SPST-NO



SPST-NC





DIMENSION

L Ring+Power logo



Part No. Shown : MW22-A0F1L7□-A1ZB

E Ring Moveable



Part No. Shown : MW22-A0F0E6□-A3ZA



MW22
Pushbutton Switches